



JENNIFER M. GRANHOLM
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
LANSING



STEVEN E. CHESTER
DIRECTOR

March 26, 2008

Mr. Matt Steinberg, President
Ball Grease Trap Service, Inc.
1355 Brookfield Road
Charlotte, Michigan 48813

Dear Mr. Steinberg:

SUBJECT: Septage Receiving Facility Operating Plan Approval for
Ball Grease Trap Service, Inc.

Review of the Ball Grease Trap Service, Inc., septage waste receiving facility (SWRF) operating plan is complete. The operating plan is approved and the SWRF may be used to accept and treat food establishment septage (FES).

The septage waste receiving facility must operate in accordance with the approved plan. If a change in operations or conditions is anticipated, please file an amendment to the plan to this office at least 30 days prior to the proposed date for implementation.

We will be posting the Ball Grease Trap Service, Inc. SWRF operating plan on the Septage Waste Program website address at www.michigan.gov/deqseptage. If you have any questions regarding this matter, please contact me.

Sincerely,

Matthew Campbell
Septage Program Coordinator
On-Site Wastewater Unit
Drinking Water and Environmental Health Section
Water Bureau
517-335-4178

mcc:ckp

cc: Mr. Michael Spitler, Dimondale WWTP
Mr. Eric Pessell, Barry-Eaton District Health Department, Eaton County
Mr. Tim Benton, DEQ

Ball Grease Trap Service Inc.

1355 Brookfield Rd. Charlotte, MI 48813

Phone: 517-543-6953 cell 517-202-2195

Ball Grease Trap Service Inc. Receiving Station Operating Plan

Location:

Leased property inside Dimondale/Windsor Wastewater Treatment Plant
9384 Walnut Highway
Dimondale, MI 48821

Hours of Operation:

"This facility is for use only by the owner/operator of this pretreatment facility." It is not open to other licensed septage firms or liquid industrial waste haulers.

Waste to be received:

Domestic septage and food establishment septage pumped only by Ball Grease Trap Service Inc. at a rate of no more than 20,000 gallons per day

Fee structure:

"Not applicable. This facility is for the exclusive use of Ball Grease Trap Service Inc. only."

Service area:

"Not applicable. This facility is for the exclusive use of Ball Grease Trap Service Inc. only."

Notice of operating plan:

A copy was sent to Barry Eaton Health Department, Village of Dimondale, Windsor Township, and an Ad was published in Holt community news for questions or concerns, copies of the Operating Plan were made available by calling Matt Steinberg at 517-202-2195

RECEIVED
MICH DEPT OF ENVIRONMENTAL QUALITY

FEB 11 2008

WATER BUREAU
DWEHS

Matt Steinberg Pres.
1355 Brookfield Rd.
Charlotte, MI 48813
Cell 517-202-2195

Pursuant to Public Act 451, Part 117, The Septage Waste Services Act, Ball Grease Trap Service Inc. proposes to continue operation of the septage receiving facility at the Dimondale/Windsor WWTP at 9384 Walnut Highway Dimondale, MI 48821. A 30 day written comment period is hereby requested. All written comments are to be sent to: Matt Steinberg, 1355 Brookfield Rd., Charlotte, MI 48813.

HCN-553916

2/3, 10, 17, 24/08

**NOTICE OF PUBLIC HEARING
DELHI TOWNSHIP RESIDENTS
TO THE OWNERS OF THE FOLLOWING PROPERTY:**

33-25-05-20-100-006
33-25-05-20-300-009
33-25-05-20-300-010

PLEASE TAKE NOTICE that the Township Board of the Charter Township of Delhi, pursuant to PA 1954 No. 188, has initiated a road improvement project consisting of the following: Krantz Road from Kahres Road to a point approximately 500' west of Kahres Road, and has tentatively declared its intention to proceed with said improvements.

The Township Board has caused plans and cost estimates to be prepared and placed in the office of the Township Clerk for public examination.

TAKE FURTHER NOTICE that the Township Board will meet on February 19, 2008, at 8:00 p.m. at the Community Service Center, 2074 Aurelius Road, Holt, Michigan, for the purpose of hearing objections to the improvements, to the special assessment, and to the special assessment district consisting of the properties identified above. If periodic re-determinations of the cost are necessary without a change in the special assessment district, such re-determinations may be made without further notice to record owners or to parties in interest as to said properties.

This improvement and special assessment have been initiated by Resolution of the Township Board and may proceed, unless on or before the public hearing, written objections to the improvement signed by record owners of land constituting more than twenty percent (20%) of the total frontage on the road within the special assessment district are received. If such objection is received, the Board will not proceed with the improvement and assessment unless a petition containing signature of record owners of land constituting more than fifty percent (50%) of the road frontage within said district is received.

Appearance and protest at the hearing is required in order to appeal the special assessment to the State Tax Tribunal. A property owner or party in interest, or his or her agent, may appear in person at the hearing to protest the special assessment or may file his or her appearance or protest by letter, and his or her personal appearance will not be required. Petitions contesting the assessment must be filed with the Michigan Tax Tribunal within thirty (30) days from the date the special assessment roll is confirmed.

Evan Hope, Township Clerk

HCN/1CCN-551621

2/3/08

Pursuant to Public Act __, Part 117, The Septage Waste Services Act, Ball Grease Trap Service Inc. proposes to continue operation of the septage receiving facility at the Dimondale/Windsor WWTP at 9384 ~~Walnut~~ Highway Dimondale, MI 48821. A 30 day written comment period is hereby requested. All written comments are to be sent to: Matt Steinberg, 1355 Brookfield Rd., Charlotte, MI 48813.

HCN-553916 2/3, 10, 17, 24/08

AFFIDAVIT OF PUBLICATION
COMMUNITY NEWSPAPERS, INC.
120 E. Lenawee.
Lansing, MI 48919
State of Michigan, County of Ingham

RECEIVED
MICH DEPT OF ENVIRONMENTAL QUALITY

FEB 23 2008

WATER BUREAU
DWHS

IN THE MATTER OF: NOTICE

MATT STEINBERG


Rachelle Franklin

Being duly sworn, says that he/she is authorized by the publisher of Community Newspapers, Inc., to swear that a certain notice, a copy of which is annexed here to, was published in the following publication:

1. Published in the English language for the dissemination of general and/or legal news, and
2. Has a bonfide list of paying customers or has been published at least once a week in the same community without interruption for at least 2 years, and
3. Has been established, published and circulated at least once a week without interruption for at least one (1) year in the community where the publication is to occur.

HOLT COMMUNITY NEWS

2/3, 10, 17, 24/08



Rachelle Franklin

SUBSCRIBED AND SWORN TO BEFORE ME THIS 24TH

DAY OF FEBRUARY, 2008

CARRIE A. SAVAGE
NOTARY PUBLIC, STATE OF MICHIGAN, COUNTY OF EATON
MY COMMISSION EXPIRES: SEPTEMBER 4, 2014
ACTING IN THE COUNTY OF EATON

HCN-553916



VEHICLE DESCRIPTIONS

Provide the information for each vehicle requesting licensure to haul septic waste. Tank trailer units require licenses. State license plates for these vehicles must be for the calendar year that this application covers.

State License Plate No.	Make-Model-Year	Vehicle Identification No.	Tank Capacity (gallons)	Current DEQ Vehicle License No.	New DEQ Vehicle License No. (leave blank)	New Decal No. (Leave Blank)

FOR COUNTY HEALTH DEPARTMENT OR DEQ USE ONLY

INSPECTION STATEMENT:

I HAVE INSPECTED THE VEHICLE(S) LISTED ABOVE (ATTACH A COPY OF EACH INSPECTION FORM) AND RECOMMEND THAT THE VEHICLES WITH THE FOLLOWING STATE LICENSE PLATE NUMBERS BE LICENSED.

County Health Department

Inspector's Signature – sign and print

Inspection Date

FOR COUNTY HEALTH DEPARTMENT OR DEQ USE ONLY

ADDITIONAL SEPTAGE WASTE HAULER INFORMATION

1. ATTACH WRITTEN APPROVAL FROM ALL RECEIVING FACILITIES USED TO DISPOSE SEPTAGE WASTE.

Dimondale Windsor WWT

[Signature]

2. ATTACH A LIST OF THE LOCATIONS OF THE SITES WHERE THE APPLICANT PLANS TO APPLY SEPTAGE WASTE TO LAND. INCLUDE PROOF THAT THE APPLICANT OWNS THE PROPOSED SITE OR WRITTEN APPROVAL FROM THE SITE OWNER FOR EACH PROPOSED SITE.

3. INCLUDE A WRITTEN PLAN FOR DISPOSAL OF SEPTAGE WASTE OBTAINED IN WINTER.

4. ATTACH WRITTEN PROOF OF SATISFACTION OF THE CONTINUING EDUCATION REQUIREMENTS.

SEPTAGE WASTE HAULER ATTACHMENTS

DEQ Authorization – sign and date:

RECEIVED
MICH DEPT OF ENVIRONMENTAL QUALITY

FEB 6 2008



Septage Waste Receiving Facility Checklist

Page 1

Name of Septage Receiving Facility:

Ball Grease Trap Service, Inc.

DEQ Reviewer: M. Campbell

Review Date: February 19, 2008

Address of Septage Receiving Facility:

9384 Walnut Highway

Dimondale, MI 48821

Facility Contact: M. Steinberg

Telephone Number: 517-202-2195

The following information must be submitted in the Operation Plan in order to receive DEQ approval:

<u>Requirement</u>	<u>Yes</u>	<u>No</u>	<u>Comments</u>
1. Location of septage RF.	X		
2. Hours of operation.	X		
3. Categories of septage waste the RF will receive.	X		Domestic septage and food establishment septage.
4. Does the SWRF accept food establishment septage (grease trap waste)? If yes, have they calculated the nutrient loading of this waste and its impact on that allotted to treating septage waste?	X		This facility is a pretreatment package plant. The final, treated effluent is discharged to the Dimondale/Windsor WWTP.
5. Fee structure charged to hauler.		X	Not applicable. This facility is only for use by the owner.
6. *Service area (septage acceptance) description of RF defined in detail.		X	Not applicable. Domestic septage and FES is not accepted from other septage firms.

Septage Waste Receiving Facility Checklist

Page 2

Name of Septage Receiving Facility: **Ball Grease Trap Service, Inc.**

<u>Requirement</u>	<u>Yes</u>	<u>No</u>	<u>Comments</u>
7. Notice of proposed operation plan:			
a) Was it mailed to county HD and legislative body of each city, village and township located in whole or in part of the service area?	X		
b) Was it public noticed in the local newspaper?	X		Public noticed in the Hold Community News on 2/3/08.
c) Was it posted on the facility website?		X	Not applicable. This facility does not have a website.
8. Did the notice contain the following?			
a. Statement that the RF proposed to or is currently receiving and will continue to receive septage waste for treatment.	X		
b. Statement in the notice that the proposed operating plan is available for review during normal work hours.	X		
c. A request for written comments on the proposed operation of the RF and the deadline for receipt of such comments, which shall not be less than 30 days after publication, posting, or mailing of the notice.	X		As of 2/19/08 there have been no comments. Final due date for comment; 3/1/08.
d. Receiving facility capacity.			
I) Hydraulic capacity:	X		Combination of domestic & FES.
II) Organic capacity:			Not applicable - mechanical treatment only.
*III) Wet weather operation considerations (CSO & SSO)		X	Not applicable.

Septage Waste Receiving Facility Checklist

Page 3

Name of Septage Receiving Facility: **Ball Grease Trap Service, Inc.**

<u>Requirement</u>	<u>Yes</u>	<u>No</u>	<u>Comments</u>
9. Other conditions established for the RF.		X	